



# *Shiv Om Fasteners*

EVERYTHING IN FASTNERS

An ISO 9001 - 2008 Certified Company

*"Ready Stock of 50,000 Varieties & Sizes"*



*We deliver  
What you need  
When you need*





Materials available in Stainless Steel, Mild Steel, High Carbon Steel & Brass.  
Finish available in Zinc Yellow, White, Nickle, Cobalt, Trivalent, Hot Dip Etc.

## BOLTS



Hex Bolt



Carriage Bolt



Flange Bolt



Nylon Bolt



Foundation Bolt



Anchor Bolt



Washer Inserted Bolt



Thread Rod

## NUTS



Hex Nut



Square Nut



Flange Nut



Dom Nut



Nylock Nut



Wing Nut



Spring Nut



Kalei Nut

## WASHERS



Washers



Serrated Lock Washer



Star Washer



Contact Washer





An ISO 9001 - 2008 Certified Company

Products Range : Dia. M2 to M16, Length : 3mm To 150mm

Applicable Material: Steel (Grade 4.6 / 6.8 / 8.8 / 10.9 / 12.9). Brass, Copper.

Available Standards IS / ANSI / DIN / JIS / BS / AS

### CLINCHING FASTENERS



Clinch Stud



Clinch Nut



Stand Off



Anchor Nut

### WELDING FASTENERS



Weld Stud



Weld Bush



Weld Nut




Conical Washer

### RIVETING FASTENERS




Blind Rivet



Mono Bolt



Nut Insert



Lock Bolt

### SPECIAL FASTENERS



Plug Bolt



Snap Rivet



Moulded Studs



Cage Nut

### SELF DRILLING & TAPPING SCREW



Sem Screw



Self Drill Screw



Thread Forming



BT Screw



Materials available in Stainless Steel, Mild Steel, High Carbon Steel & Brass.  
Finish available in Zinc Yellow, White, Nickle, Cobalt, Trivalent, Hot Dip Etc.

Stamping & Special Parts



Curve Spring Washer



Circlips



Sperrkant Washer



Push on Nuts



Safety Washer



Dowel Pins



Security Bolt




Turned Parts


SCREW HEAD STYLES




SCREW DRIVERS



MACHINE THREAD



METAL SHEET / WOOD THREAD.







### Specification Of C.D. STUD Welding Machine

Description	: C.D - 20 (Enhanced Flash Micro Controller Technology)
Welding	:M3 - MB with Mild Steel and Stainless Steel, Aluminium and brass
Range	:3MM - 8 MM
Welding Method	: Tip Ignition
Power Source	:Capacitor Bank
Charging Capacity	:75,000.µf
Charging Voltage	: 45 - 200 V-DC Settable
Welding Time	: 0.001 - 0.003 sec.
Welding Output	: up to 20 - 25 studs/min., depending on stud diameter
Mains Supply	: 230 V AC Power 500 VA , fuse 3, 20 AMP
Connected Cable	: 3 Mtr + Earthing Cable 3 Mtr
Dimensions	:15" x 11" x 9" inch (L x W x H)
Weight	:19 kg.



### Hand Tools & Pneumatic Tools



#### Installation Hand Tools:-

Ideal for light Production Requirements.  
Installs most Fasteners Type & Size.  
Ideal for Prototype Applications



#### Superior Air Riveter:-

Automatic Vacuum System can place Blind Rivet into nosepiece without Hand Operation and Waste Mandrel will move into collection bottle automatically.  
Light weight Design & Heavy Duty Operation.

#### Pneumatic Nutinsert Tool:-

Heavy Duty Pneumatic Blind Nut tool can Thread & Unthread automatically during Operations

We stock full range of fasteners in Stainless Steel, High Carbon Steel, Brass, Mild Steel & other materials along with Speciality Fasteners such as Clinching Fasteners, Welding Fasteners, Non Corrosive Fasteners, Special Fasteners, which are used in Sheet Metal Industry, Electronics, Automotive, Renewable Energy, Infrastructure, Aerospace, Ship Building & Other Industries.

## OUR STRENGTH

- ▶ Deliveries "just in time".
- ▶ Reduce inventory cost.
- ▶ Delivery as per schedule from our huge stocks.
- ▶ Kitting & labeling for multiple items as per BOM.
- ▶ Kanban two bin systems.
- ▶ Green channel suppliers for lean manufacturing.



We source all material from industry leaders.  
All our manufacturers are ISO compliant



*Shiv Om Fastners*  
EVERYTHING IN FASTNERS

Admin. : Office No. 9 , Matruchhaya CHS, Sector 8 A, Plot No. 57,  
Airoli, Navi Mumbai 400708. Ph.: 2769 1548, 3218 2030  
Email : shivomfastners@gmail.com ; Web.: www:shivomfastners.com

JIGNESH RAIKUNDALIA - 98212 21282

RITESH RAIKUNDALIA - 98207 47767

Godown : Shop No 6 to 11, Yashashree CHS., Sector 8A , Plot No. 56, Airoli , Navi Mumbai 400708.